



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/996,446	11/28/2001	Daniel F. Downey	VRO-004.01	2412

7590 02/07/2005
GARY L. LOSER
VARIAN SEMICONDUCTOR EQUIPMENT ASSOCIATES, INC.
35 DORY ROAD
GLOUCESTER, MA 01930

EXAMINER

HOLLINGTON, JERMELE M

ART UNIT	PAPER NUMBER
----------	--------------

2829

DATE MAILED: 02/07/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/996,446

Applicant(s)

DOWNEY ET AL.

Examiner

Jermele M. Hollington

Art Unit

2829

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 January 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) 9-17 and 19 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 18 and 20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-8, 18 and 20 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 1-2, 5-8, 18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Maekawa (6066547) in view of Muller et al (Device Electronics for Integrated Circuits 2nd Edition) as applied to claims 1 and 18, and further in view of Okada et al (3887993).

Regarding claim 1, Maekawa discloses [see Figs. 9-11] a method for annealing a semiconductor structure (semiconductor compound 30 which includes transition metal film 24 and amorphous film 14) [see col. 6, lines 30-35], the method comprising, subjecting the

Art Unit: 2829

semiconductor structure (30) to an oscillating electromagnetic field [see col. 6, lines 49-67] and, applying a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure (30) [see col. 6, line 57-col. 7, line 18]. However, he does not disclose the purpose of applying a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure as claimed. It is well known to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of curing defects of the semiconductor structure, activating a dopant material, repairing the lattice structure as shown in Muller et al pages 79-80 under "Ion Implantation". It would have been obvious to one of ordinary skill in the art at the time the invention to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of curing defects of the semiconductor structure, activating a dopant material, repairing the lattice structure for curing defects of the semiconductor structure, activating a dopant material, repairing the lattice structure as taught by Muller et al in order to ensure that the implanted dopant atoms are located on substitutional sites and to make it possible to assure that the dopant species are extremely pure while controlling the exact total dose of dopant atoms entering the semiconductor structure. Further, It is well known to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of minimizing the implanted junction depth and the post annealing junction depth of the dopant material as shown in Okada et al col. 1, lines 60-65. It would have been obvious to one of ordinary skill in the art at the time the invention to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of minimizing the implanted junction depth and the post annealing junction depth of the

Art Unit: 2829

dopant material as taught by Okada et al in order to improve the cutoff frequency and current gain of the semiconductor structure.

Regarding claim 2, Maekawa discloses wherein subjecting includes subjecting the semiconductor to a time-varying electromagnetic field [see col. 6, lines 8-67].

Regarding claim 5, Maekawa discloses wherein applying a LTRTA includes exposing the semiconductor (30) to a temperature less than approximately 800 degrees Celsius [prior art discloses between 650-800 as shown in col. 7, lines 7-12].

Regarding claim 6, Maekawa discloses wherein applying a LTRTA includes exposing the semiconductor to a furnace having a temperature greater than approximately 500 degrees Celsius, and less than approximately 800 degrees Celsius [prior art discloses between 650-800 as shown in col. 7, lines 7-12].

Regarding claim 7, Maekawa discloses wherein applying a LTRTA can precede subjecting the semiconductor to an electromagnetic field [see col. 6, lines 8-67].

Regarding claim 8, Maekawa discloses wherein applying a LTRTA includes using a furnace to perform the LTRTA [see col. 9, lines 17-19].

Regarding claim 18, Maekawa discloses [see Figs. 9-11] a method for processing a semiconductor structure (semiconductor compound 30) comprising a subjecting the semiconductor structure (30) to a thermal heating [prior art discloses heating between 250-470 degrees Celsius as shown in col. 6, lines 57-63], and applying a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure (30) [see col. 7, lines 1-18]. However, he does not disclose the purpose of applying a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure as claimed. It is well known to apply a

Art Unit: 2829

low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of curing defects of the semiconductor structure, activating a dopant material, repairing the lattice structure as shown in Muller et al pages 79-80 under "Ion Implantation". It would have been obvious to one of ordinary skill in the art at the time the invention to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of curing defects of the semiconductor structure, activating a dopant material, repairing the lattice structure for curing defects of the semiconductor structure, activating a dopant material, repairing the lattice structure as taught by Muller et al in order to ensure that the implanted dopant atoms are located on substitutional sites and to make it possible to assure that the dopant species are extremely pure while controlling the exact total dose of dopant atoms entering the semiconductor structure. Further, It is well know to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of minimizing the implanted junction depth and the post annealing junction depth of the dopant material as shown in Okada et al col. 1, lines 60-65. It would have been obvious to one of ordinary skill in the art at the time the invention to apply a low temperature rapid thermal annealing (LTRTA) process to the semiconductor structure for the purpose of minimizing the implanted junction depth and the post annealing junction depth of the dopant material as taught be Okada et al in order to improve the cutoff frequency and current gain of the semiconductor structure.

Regarding claim 20, Maekawa discloses the step of subjecting the semiconductor structure (30) to an oscillating magnetic field to anneal the semiconductor structure (30) [see col. 6, lines 30-67].

Art Unit: 2829

5. Claims 3-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Maekawa (6066547).

Regarding claims 3-4, Maekawa discloses [see Figs. 9-11] a method for annealing a semiconductor structure (semiconductor compound 30) [see col. 6, lines 30-35]. However, he does not disclose providing a frequency in a microwave frequency band or the radio frequency (RF) band. It is well known to provide any frequency range in a frequency band where needed (see MPEP 2144.04 *In re Seid*, 161 F.2d 229, 73 USPQ 431 (CCPA 1947)). It would have been obvious to a person having ordinary skill in the art at the time the invention was made to subject the semiconductor structure to any frequency range since the frequency range, which involves matters relating to ornamentation only which have no mechanical function, would provide support in a selective manner to each individual user for annealing a semiconductor structure.

Conclusion


6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Narwankar et al (6037235), Xiang et al (6555453) and Ryoo (6767808) disclose a method and apparatus for annealing a semiconductor device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermele M. Hollington whose telephone number is (571) 272-1960. The examiner can normally be reached on M-F (9:00-4:30 EST) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (517) 272-2034. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2829

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jermele M. Hollington
Patent Examiner
Art Unit 2829

JMH

February 1, 2005